

Firma: Nodus ICT Solutions d.o.o Adresa: Jurija Gagarina 227/233 Telefon: +38163337760 Fax: PIB: 111833822 E-mail: info@povoljniracunari.rs

AENO Steam Mop SM1, with built-in water filter, aroma oil tank, 1200W, 110 °C, Tank Volume 380mL, Screen Touch Switch (ASM0001)

Šifra: 39924 Kategorija prozivoda: Paročistači Proizvođač: AENO

Cena: 13.843,00 rsd.

Marketing Model Name: Commercial Name: Appliance Type: Water tank capacity: Features: SM1 Steam Mop SM1 Steam Mop 380 ml ECO packaging Multifunctional: removes dirt, grease, stains and limescale on floors and above floor surfaces. Refreshes your carpets and furniture. Removes deep grease stains and disinfect working surfaces in the kitchen Disinfection and deep cleaning of bathroom appliances Disinfects toys and kids furniture Takes care about your wardrobe: steams clothes and cleans nubuck shoes Deep cleaning of tiles and grouts Perfectly cleans windows and mirrors Accessories for any usage case included: Extension Hose, Plastic Scraper Brush, Metal Scraper Brush, Round Scraper Brush with Cloth Cover Two-in-one Brush with Retainer, Foam Pad and Cloth Cover, Cloth Cover for Carpets, Carpet Glider Easy cleaning in hard-to-reach places Easy cleaning of hard-to-clean places Ready to use in just 17 sec Up to 35 minutes without refilling Enlarged 380 ml water tank Removable water tank - easy to refill Built-in water filter prolongs the device life Vertical and horizontal steaming Suitable for laminate and wooden floors Ultralight: just 1.3 kg Shoulder strap: keep your hands



free Aroma oil & desinfectant container Convinient touchscreen: onoff, temperature indication, steam intensity adjustment Disinfect your carpet with a special frame Cleans and disinfects without chemicals 110?° steam kills up to 99% of germs and bacteria 2 modes of steam power for different types of surfaces Modern and stylish design Long-life hit-resistant plastic Auto power off: overheat and dry tank protection Reseizable handle Machine washable mop pads Descaling pin for limescale cleaning Wall-mount: easy to store Accessories for any usage case : included: Extension Hose, Plastic Scraper Brush, Metal Scraper Brush, Round Scraper Brush with Cloth Cover, Two-in-one Brush with Retainer, Foam Pad and Cloth Cover, Cloth Cover for Carpets, Carpet Glider Shoulder strap: keep your hands free Convinient touchscreen: onoff, temperature indication, steam intensity adjustment Disinfect your carpet with a special frame Wall-mount: easy to store Cleans and disinfects without chemicals 110° steam kills up to 99% of germs and bacteria 2 modes of steam power for different types of surfaces Modern and stylish design Auto power off: overheat and dry tank protection Reseizable handle Machine washable mop pads Descaling pin for limescale cleaning Eco packaging Enlarged 380 ml water tank Application: **Tile Joints Kitchen Appliance** Clothe Steaming Furniture Mattresses Windows and Mirrors Toys Shoes

Steam Temperature:110 °CSteam Supply Rate:27 gminHeating Time:17 sRuntime (minute):38 minNoise Level Lc IEC (dB):38 dBCord Length (m):5 mChassis Material:ABS PlasticBuilt-in Water Filter:YesSteam Pressure:3 barCertifications:CE, ROHSVacuum Cleaners IncludedWall BracketAccessories:Straper Brush Metal Scraper Brush	anitary Ware	
Heating Time:17 sRuntime (minute):38 minNoise Level Lc IEC (dB):38 dBCord Length (m):5 mChassis Material:ABS PlasticBuilt-in Water Filter:YesSteam Pressure:3 barCertifications:CE, ROHSVacuum Cleaners IncludedWall BracketAccessories:Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush		110 °C
Runtime (minute):38 minNoise Level Lc IEC (dB):38 dBCord Length (m):5 mChassis Material:ABS PlasticBuilt-in Water Filter:YesSteam Pressure:3 barCertifications:CE, ROHSVacuum Cleaners IncludedWall BracketAccessories:Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush	team Supply Rate:	27 gmin
Noise Level Lc IEC (dB):38 dBCord Length (m):5 mChassis Material:ABS PlasticBuilt-in Water Filter:YesSteam Pressure:3 barCertifications:CE, ROHSVacuum Cleaners IncludedWall BracketAccessories:Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush	leating Time:	17 s
Cord Length (m):5 mChassis Material:ABS PlasticBuilt-in Water Filter:YesSteam Pressure:3 barCertifications:CE, ROHSVacuum Cleaners IncludedWall BracketAccessories:Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush	untime (minute):	38 min
Chassis Material:ABS PlasticBuilt-in Water Filter:YesSteam Pressure:3 barCertifications:CE, ROHSVacuum Cleaners IncludedWall BracketAccessories:Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush	loise Level Lc IEC (dB):	38 dB
Built-in Water Filter:YesSteam Pressure:3 barCertifications:CE, ROHSVacuum Cleaners IncludedWall BracketAccessories:Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush	ord Length (m):	5 m
Steam Pressure:3 barCertifications:CE, ROHSVacuum Cleaners IncludedWall BracketAccessories:Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush	hassis Material:	ABS Plastic
Certifications:CE, ROHSVacuum Cleaners IncludedWall BracketAccessories:Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush	uilt-in Water Filter:	Yes
Vacuum Cleaners Included Wall Bracket Accessories: Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush	team Pressure:	3 bar
Accessories: Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush	ertifications:	CE, ROHS
Round Scraper Brush with Cloth Cover Two-in-one Brush with Retainer Foam Pad and Cloth Cover Cloth Cover for Carpets Carpet Glider Descaling Pin		Extension Hose Shoulder Strap Plastic Scraper Brush Metal Scraper Brush Round Scraper Brush with Cloth Cover Two-in-one Brush with Retainer Foam Pad and Cloth Cover Cloth Cover for Carpets Carpet Glider
Color: White	olor	-
Maximum Operating Ambient 40 °C Temperature:	laximum Operating Ambient	
Minimum Operating Ambient -5 °C Temperature:		-5 °C
Maximum Non-Operating 40 °C Ambient Temperature:	. –	40 °C
Minimum Non-Operating -5 °C Ambient Temperature:		-5 °C
Maximum Operating Humidity: 70 %	laximum Operating Humidity:	70 %
Minimum Operating Humidity: 20 %	linimum Operating Humidity:	20 %
Maximum Non-Operating 70 % Humidity:		70 %
Minimum Non-Operating 20 % Humidity:		20 %
Input Voltage: AC 220-230 V	iput Voltage:	AC 220-230 V
Input Frequency: 5060 Hz		5060 Hz
Maximum Output Power: 1200 W	laximum Output Power:	1200 W

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.